



## ATLLED2X5

Topline 6 LED Batten 66W - Cool White



## Features

High performance LED batten for multi-purpose applications

Exceeds performance of T5 equivalents

Steel body construction with powder coat finish

Unique opal diffuser design for optimum performance and light distribution

Polycarbonate end caps

Instant light output with unlimited switching

LED lifespan L70 36,000 hours

Non-dimmable

## General Information

Lamp Type	LED
Colour / Finish	White
IP Rating	IP20
Class Protection	1
Internal / External	Internal
Surface / Recessed / Suspended	Surface
Warranty (Years)	5
CE Mark	Yes
Length (mm)	1525
Width (mm)	65
Height (mm)	65



## Technical Information

Wattage	66W
Lumens Delivered	6514lm
Lm/W	99lm
CRI	Ra 80
CCT	4000K
Input	220/240V
Hertz	50Hz
Operating Temp	-10°C to 50°C

## Technical Data - ETIM 6 - Batten luminaire (EC000109)

With light source	Yes
Suitable for number of lamps	1
Lamp power	66 W
Lamp power at multiwatt	Not applicable
Control gear included	Yes
Type of dimming	Not dimmable
Suitable for emergency lighting	No
Nominal voltage	220-240 V
Suitable for through-wiring	No
Electrical connection with connector system	No
Material	Steel
Colour housing	White
Length	1525 mm
Width	65 mm
Height	65 mm
Protection class	I
Degree of protection (IP)	IP20
Rated luminous flux acc. IEC 62722-2-1	6514 lm
Colour of light	White
Colour temperature	4000-4000 K
Colour rendering index CRI	80-89

Datasheet generated from <https://www.electrika.com> last updated Monday, May 20, 2019 10:36:25 AM

	Code	A	B	C	D
	<b>ATLLED4</b>	1220	600	65	65
	<b>ATLLED5</b>	1525	600	65	65
	<b>ATLLED6</b>	1745	600	65	65
	<b>ATLLED2X4</b>	1220	600	65	65
	<b>ATLLED2X5</b>	1525	600	65	65
	<b>ATLLED2X6</b>	1745	600	65	65