




CHIC

ARCHITECTURAL LIGHTING



Presented By

**AURORA**<sup>®</sup>

## Choose driver technology

### SWITCH 6W

via colour switch  
on driver



- ✗ 3 colour temperatures in 1 product
  - 2700K ● 3000K ● 4000K

### PRO 9.5W

via colour switch  
on downlight



- ✗ 4 colour temperatures in 1 product
  - 2700K ● 3000K ● 3500K ● 4000K

### PRO DALI 9.5W

via driver



- ✗ Tuneable White
  - 2700K-6500K

## Choose bezel options

### LED'UP UNIVERSAL

#### FIXED




#### ADJUSTABLE



### LED'UP UNIVERSAL BAFFLED & WALLWASHER



### LED'UP UNIVERSAL BAFFLED & WALLWASHER 2 TONE




#### FIXED



#### ADJUSTABLE



#### BAFFLED



## Choose the finish

The LED'UP UNIVERSAL bezel is matt white & round as standard. Other finishes can be selected from the options below to suit your chosen design aesthetic.

### LED'UP UNIVERSAL



Matt White



Brushed Aluminium



Matt Black



Satin Gold

With adjustable versions, you can also mix colours



### LED'UP UNIVERSAL BAFFLED & WALLWASHER



Matt White



Lacquered Aluminium




Matt Black



Satin Gold

### LED'UP UNIVERSAL BAFFLED & WALLWASHER 2 TONE



Matt White /  
Matt Black




Matt White /  
Lacquered Aluminium



Matt White /  
Satin Gold



Matt Black /  
Satin Gold



Matt Black /  
Copper

## Affix the bezel

### FIXED



Affix the bezel by  
making a 1/4 turn

### ADJUSTABLE



Affix the interior flange by  
making a 1/4 turn



Affix the bezel by  
making a 1/4 turn

## Renovate

### ADJUSTABLE COVER RING

This covering ring is compatible with the adjustable LED'UP UNIVERSAL.

With an outer diameter of 100mm, the ring allows you to replace previous larger luminaires with your choice from the LED'UP UNIVERSAL range.



LED'UP

# LED'UP UNIVERSAL SWITCH

FIXED OR  
ADJUSTABLE




ROUND OR  
SQUARE



BAFFLED OR  
WALLWASHER



9 FINISHES




TWIST & LOCK BEZELS  
AND RENOVATION  
COVER RING



COMPATIBLE WITH BLOWN  
OR ROLLED INSULATION

SLIM - 40mm



QUICK CONNECTION  
TERMINAL BLOCK

FROM 500lm  
TO 600lm



60° DICHROIC  
OPTIC



3 CCT SWITCH  
ON DRIVER





# LED'UP UNIVERSAL SWITCH

**Power/voltage:** 230VAC

**Dimming type:** TRIAC dimming

**Material:** Aluminium

**Lens material:** Polycarbonate

**Environmental resistance:** White and matt black versions: salt spray tested to 750h

**Quick connection:** Terminal block


**Operating temperature:** -20°C/+40°C

**Installation diameter:** 68mm




**Installation precaution(s):** Possibility of installing matt white and matt black finish bezels outdoors under shelter

**Additional information:** Adapts to your preferences with its range of accessories:

Numerous possibilities for finish/bezel shapes



Matt White



## SWITCH

W	KELVIN	LUMENS	LUMENS/W	CRI	A → G	CODE
6	2700K/3000K/4000K	500/525/600	88	90	60°	57016

## ACCESSORIES

Emergency Offering - Contact Sales



# LED'UP UNIVERSAL PRO

FIXED OR  
ADJUSTABLE




ROUND OR  
SQUARE



BAFFLED OR  
WALLWASHER



9 FINISHES



NEW

TWIST & LOCK BEZELS  
AND RENOVATION  
COVER RING



QUICK CONNECTION  
TERMINAL BLOCK


FROM 970LM  
TO 1025LM



NEW

STANDARD & DALI  
OPTION AVAILABLE

38° & 60°  
DICHROIC  
OPTICS





# LED'UP UNIVERSAL PRO & PRO DALI

**Power/voltage:** 230VAC

**Dimming type:** TRIAC dimming, DALI PUSH dimming

**Material:** Aluminium

**Lens material:** Polycarbonate

**Environmental resistance:** White and matt black versions: salt spray tested to 750h

**Quick connection:** Terminal block

**Operating temperature:** -20°C/+40°C


**Installation diameter:** 68mm

**Installation precaution(s):** Possibility of installing matt white and matt black finish bezels outdoors under shelter

**Additional information:** Adapts to your preferences with its range of accessories: Numerous possibilities for finish/bezel shapes



Matt White



## PRO

W	KELVIN	LUMENS	LUMENS/W	CRI	Beam	A → G	CODE
9.5	2700K/3000K/3500K/4000K	980/1015/1025/970	108	90	38°	E	57116
	2700K/3000K/3500K/4000K	980/1015/1025/970	108	90	60°	E	57126

## PRO DALI

W	KELVIN	LUMENS	LUMENS/W	CRI	Beam	A → G	CODE
9.5	2700K-6500K	1000	105	90	38°	E	57216
	2700K-6500K	1000	105	90	60°	E	57226

## ACCESSORIES

Emergency Offering - Contact Sales





# ACCESSORIES

The LED'UP UNIVERSAL adapts to your desires thanks to its range of accessories.  
Numerous possibilities for finishes and shapes to meet your preferences.

## LED'UP UNIVERSAL ESTHET / ESTHET+



Interior black:  
Glare rate less than 12



Interior white / aluminum / gold  
/ copper:  
Glare rate less than 16



## FIXED VERSIONS

### 2 IN 1


FIXED BEZELS COMPATIBLE WITH ADJUSTABLE DOWNLIGHTS

### LED'UP UNIVERSAL

	ROUND	SQUARE
	CODE	CODE
	5700	5720
	5703	5723
	5705	5725
	5706	5726

Round dimensions: Ø82mm

Square dimensions: 82mm x 82mm




### LED'UP UNIVERSAL ESTHET

	ROUND	SQUARE
	CODE	CODE
	5750	5760
	5753	5763
	5755	5765
	5756	5766

Round dimensions: Ø82mm x 41.20mm

Square dimensions: 82mm x 82mm x 41.20mm




### LED'UP UNIVERSAL ESTHET ASYM

	ROUND	SQUARE
	CODE	CODE
	5770	5780
	5773	5783
	5775	5785
	5776	5786







Round dimensions: Ø82mm x 45.90mm


Square dimensions: 82mm x 82mm x 45.90mm





## LED'UP UNIVERSAL ESTHET+






	ROUND	SQUARE
	CODE	CODE
	5750A	5760A
	5750N	5760N
	5750D	5760D
	5755D	5765D
	5755C	5765C



Round dimensions: Ø82mm x 41,20mm

Square dimensions: 82mm x 82mm x 41.20mm

## LED'UP UNIVERSAL ESTHET+ ASYM

	ROUND	SQUARE
	CODE	CODE
	5770A	5780A
	5770N	5780N
	5770D	5780D
	5775D	5785D








Round dimensions: Ø82mm x 45.90mm


Square dimensions: 82mm x 82mm x 45.90mm

## ADJUSTABLE VERSIONS

Not compatible with the fixed LED'UP UNIVERSAL

## LED'UP UNIVERSAL

	ROUND	SQUARE
	CODE	CODE
		5730
	5713	5733
	5715	5735
	5716	5736



Round dimensions: Ø82mm

Square dimensions: 82mm x 82mm

### ✕ Adjustable Versions, you can also mix the colours!

Examples of colour mixes



CODES FOR BEZELS

Default white collar / 5713

5735 / 5733

5715 / Default white collar

5736 / 5730

5715 / 5716

## ADJUSTABLE RENOVATION COVER RING

Compatible with all adjustable LED'UP UNIVERSAL

## LED'UP UNIVERSAL

	CODE
	5799



Dimensions: Ø100mm

Suitable for cutouts between 80mm and 95mm



LED'UP



Presented By

**AURORA**<sup>®</sup>

**Head Office & Distribution**

6 Little Burrow, Burrowfield  
Welwyn Garden City  
AL7 4SW  
United Kingdom

**Tel: 01707 228 700**

**Fax: 0800 8030 519**



SCAN  
TO VISIT

[auroralighting.com](http://auroralighting.com)

A  Galaed Group Company

**AURORA**<sup>®</sup>  
LIGHTING

  
**ELECTRA**

  
**EURO  
POLE**

  
**HOP**  
lights

**MIIDEX**  
LIGHTING