



a **LEVITON**
company

JC50323

3W Wall/Ceiling Exit Blade Maintained 3M self-test IP20 without legend

General Information

Product Group	Emergency
Product Range	Exit Blade
Range Name	self-test
Product Weight	0.89kg
Finishes Available	White
Overall Dimensions	300 x 233 x 35 mm
Recommended Product Location	Wall or ceiling mount, indoor use only
Method Of Fix	Screws and rawl plugs(not supplied)
Ingress Protection (IP)	IP20
Suitable For Zones	Outside zone 2
Luminaire Accessories	JC50308(left+right legend pack)JC50310(2 x down legend pack)JC50311(2 x Up legend pack)
Origin Of Manufacture	Made in China
Guarantee	3 years(2 years on batteries)
Operation Type	Maintained or non-maintained options
Mounting Height	Max 3 metres
Driver Manufacturer	JCC
LED Manufacturer/Type	Everlite 2835

JCC Lighting

Innovation Centre, Beeding Close, Southern Cross

Trading Estate, Bognor Regis, West Sussex, PO22 9TS

Company Registration Number: 03044848 | VAT Number: 918544112

T: 01243 838999 | F: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk

Electrical

Input Voltage (V)	220-240V~
Primary Running Current	0.05-0.09A
Operating Frequency (Hz)	50/60Hz
CC or CV	Constant current
Luminaire Circuit Wattage	3W(AC)8.6W(DC)
Class	Class II, no earth required
Input Electrical Connections	S/L(brown),U/S live(black),Neutral(blue)
Dimmable	No

Emergency Data

Load Voltage	12V
Nominal Battery Current	900mAh
Recharge Time	24hrs
Battery Specification	3.6V,900mAh Ni Cd
Battery Life In Emergency Mode	3hrs
Charge Current	41~105mA
DDP Protection	Yes
LOR In Emergency Mode	100%
Inverter PFC	0.67

Thermals

Room Ambient Temperature Not To Exceed	30°C
Room Ambient Temperature	26°C
Max Luminaire Ambient Temp.	25°C

JCC Lighting

Innovation Centre, Beeding Close, Southern Cross
Trading Estate, Bognor Regis, West Sussex, PO22 9TS
Company Registration Number: 03044848 | VAT Number: 918544112
T: 01243 838999 | F: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk

Performance Data

Energy Rating	A
Lumen Output	25 lumens(AC) 25 lumens(DC)
Lumens Per Circuit Watt	8 Lpcw(AC) 8 LpcW(DC)
LED Life (Hours)	50000
CRI: Ra	86
Colour Temperature (K)	6000K
LOR (Light Output Ratio) %	100%
Photometry Available	yes
Detection Distance	Visible from a distance of 24 metres

Construction

Main Chassis	Polycarbonate
Diffuser	Acrylic

Packaging

Luminaire Carton Dimensions	335 x 45 x 245 mm
Quantity Per Outer Carton	10
Bar Code EAN Number	5052544080586
Packaged Weight	0.94kg

Standards & Approvals

Manufactured In Accordance To	BS EN60598-2-22
CE Marked	yes
Batch Coded	yes
WEEE Symbol	yes

JCC Lighting

Innovation Centre, Beeding Close, Southern Cross
Trading Estate, Bognor Regis, West Sussex, PO22 9TS
Company Registration Number: 03044848 | VAT Number: 918544112
T: 01243 838999 | F: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk

Certificate Of Conformity

Available on request

Accredited MembersLIA, ISO9001:2015, ISO14001:2015

Datasheet generated from <http://www.electrika.cloud> on 12 February 2018 08:21:05

JCC Lighting

Innovation Centre, Beeding Close, Southern Cross

Trading Estate, Bognor Regis, West Sussex, PO22 9TS

Company Registration Number: 03044848 | VAT Number: 918544112

T: 01243 838999 | F: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk