

JC50328

Emergency Twin Spot self-test Non-maintained IP65



General Information

Product Group	Emergency
Product Range	Twin Spot
Range Name	Surface self-test
Product Weight	1.84kg
Finishes Available	White
Overall Dimensions	296 x 272 x 75 mm
Recommended Product Location	Surface mount, indoor use only
Method Of Fix	Screws and rawl plugs (not supplied)
Ingress Protection (IP)	IP65
Suitable For Zones	Zone 1

JCC Lighting

Innovation Centre, Beeding Close, Southern Cross
 Trading Estate, Bognor Regis, West Sussex, PO22 9TS
 Company Registration Number: 03044848 | VAT Number: 918544112
 T: 01243 838999 | F: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk

Origin Of Manufacture	Made in China
Guarantee	3 years(2 years on batteries)
Operation Type	Non-maintained only
Mounting Height	Max 3 metres
Driver Manufacturer	JCC
LED Manufacturer/Type	Everlite 2835

Electrical

Input Voltage (V)	220-240V~
Primary Running Current	0.019A
Operating Frequency (Hz)	50/60Hz
CC or CV	Constant current
Luminaire Circuit Wattage	2 x 6W(DC)
Class	Class I, earth required
Input Electrical Connections	U/S live(1 Amp fused -brown or black),Neutral(blue), Earth(yellow/green)
Dimmable	No

Emergency Data

Load Voltage	9V
Nominal Battery Current	2200mAh
Recharge Time	24hrs
Battery Specification	9.6V,2200mAh Ni Cd
Battery Life In Emergency Mode	3hrs
Charge Current	140~245mA
DDP Protection	Yes
LOR In Emergency Mode	100%

JCC Lighting

Innovation Centre, Beeding Close, Southern Cross
Trading Estate, Bognor Regis, West Sussex, PO22 9TS
Company Registration Number: 03044848 | VAT Number: 918544112
T: 01243 838999 | F: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk

Inverter PFC	0.81
---------------------	------

Thermals

Room Ambient Temperature Not To Exceed	30°C
---	------

Room Ambient Temperature	26°C
---------------------------------	------

Max Luminaire Ambient Temp.	25°C
------------------------------------	------

Performance Data

Energy Rating	A
----------------------	---

Lumen Output	700(DC)
---------------------	---------

Lumens Per Circuit Watt	58 Lpcw(DC)
--------------------------------	-------------

LED Life (Hours)	50000
-------------------------	-------

CRI: Ra	83
----------------	----

Colour Temperature (K)	6000K
-------------------------------	-------

LOR (Light Output Ratio) %	100%
-----------------------------------	------

Photometry Available	yes
-----------------------------	-----

Detection Distance	Visible from a distance of 24 metres
---------------------------	--------------------------------------

Construction

Main Chassis	Polycarbonate
---------------------	---------------

Diffuser	Acrylic
-----------------	---------

Packaging

Luminaire Carton Dimensions	285 x 95 x 305 mm
------------------------------------	-------------------

Quantity Per Outer Carton	5
----------------------------------	---

Bar Code EAN Number	5052544080630
----------------------------	---------------

Packaged Weight	1.9kg
------------------------	-------

JCC Lighting

Innovation Centre, Beeding Close, Southern Cross

Trading Estate, Bognor Regis, West Sussex, PO22 9TS

Company Registration Number: 03044848 | VAT Number: 918544112

T: 01243 838999 | F: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk

Standards & Approvals

Manufactured In Accordance To BS EN60598-2-22

CE Marked yes

Batch Coded yes

WEEE Symbol yes

Certificate Of Conformity Available on request

Accredited Members LIA, ISO9001:2015, ISO14001:2015

Datasheet generated from <http://www.electrika.cloud> on 12 February 2018 09:22:50

JCC Lighting

Innovation Centre, Beeding Close, Southern Cross

Trading Estate, Bognor Regis, West Sussex, PO22 9TS

Company Registration Number: 03044848 | VAT Number: 918544112

T: 01243 838999 | F: 01243 838998 | sales@jcc.co.uk | www.jcc.co.uk